Water Quality Monitoring for Selected Watersheds in Arkansas: Poteau, Strawberry and Upper Saline



Brian Haggard

Arkansas Water Resources Center



Why monitor these select watersheds?

- To support modeling efforts in basins with little water quality information.
 - 1. Monitoring sites with USGS gages to estimate nutrient and sediment loads.
 - 2. Monitoring HUC-12 outlets to better understand how water quality changes across sub-watersheds draining different land uses





Our estimated loads will help validate the load estimations made by the model.

PoteauWatershed(HUC 11110105)





Our estimated loads will help validate the load estimations made by the model.

StrawberryWatershed(HUC 11010012)





Our estimated loads will help validate the load estimations made by the model.


Upper SalineWatershed(HUC 0804203)





Water samples were collected at seven USGS gage sites across the selected watersheds.





- Water samples were collected once a month during base flow conditions.
 - Samples were collected from a single vertical point in the stream
- Rising, peak and falling flows were targeted during each storm events.

Water samples were collected at seven USGS gage sites across the selected watersheds.

- Stage recorded in 30 minute intervals by USGS to estimate discharge.
- Water samples were analyzed at the AWRC WQL for:
 - Soluble Reactive P
 - Total P
 - Nitrate-N
 - Total N
 - Total Suspended Solids
 - Conductivity
 - Turbidity



Loads will be calculated after all samples are collected.

• Linear regression will be used to determine the relationship between daily load and daily flow:

•
$$ln(L_d) = \beta_0 + \beta_1 ln(Q_d) - or$$

•
$$ln(L_d) = \beta_o + \beta_1 ln(Q_d) + \beta_2 sin(2\pi T) + \beta_3 cos(2\pi T)$$

• BCF will be used to remove bias from log transformations:

$$BCF = \frac{\sum e^{r}}{n}$$

Where are we with data collection in the Poteau Watershed?

- Sampling began in October 2011.
- Monthly base flow and several storm events were collected through project year (June 2012).





Where are we with data collection in the Strawberry Watershed?

- Sampling began in October 2011.
- Monthly base flow and several storm events were collected through project year (June 2012).





Where are we with data collection in the Upper Saline Watershed?

- Sampling began in October 2011.
- Monthly base flow and several storm events were collected through project year (June 2012).





We have less storm samples to date than anticipated...

Sampling Limitations:


- Less rainfall in 2012.
- Proximity of locations.
 - We've missed a few storms because we didn't know it was going to rain in other parts of the state!






What will we do with the data?

 We can use HUC 12 data to compare measured concentrations to land use.




We can also help support the development HUC-12 priorities.




Specific HUCs
 where management
 actions can be
 focused.




And compare these priorities to the SWAT Model priorities.




And compare these priorities to the SWAT Model priorities.




Data to date for the Poteau...



Data to date for the Strawberry...




Data to date for Upper Saline...



Mississippi River Basin Healthy Watershed Initiative

"To improve the health of the Mississippi River Basin, including water quality and wildlife habitat, the USDA and its partners will help producers in selected watersheds in the Mississippi River Basin voluntarily implement conservation practices and systems that avoid, control, and trap nutrient runoff; improve wildlife habitat; and maintain agricultural productivity."

Where is the focus of MRBI?



The areas where we are sampling all drain to the Mississippi River Basin.

